

In the claims:

The following listing of claims supercedes and replaces all prior versions in the patent application:

1. (currently amended) A method for managing a plurality of proximity service systems, comprising the steps of:

storing in a proximity service provider computer system a plurality of proximity service codes, each proximity service code being uniquely associated with one or more proximity service systems, each proximity service system providing a predetermined service in response to receiving an authorization code from a proximity authorization unit;

providing access to the proximity service codes stored in the proximity service provider computer system to a customer;

receiving from the customer the customer's selection of one or more of the proximity service codes stored in the proximity service provider computer system by inputting a customer code uniquely identifying the particular customer and an identification of the selected proximity service codes; and

providing to the customer by the proximity service provider computer system a proximity authorization code unique to the customer for

the selected proximity service code and unique for the selected proximity authorization unit and a system customer code uniquely identifying the customer, the proximity authorization code permitting the customer to operate proximity service systems associated with the proximity service code by outputting the proximity authorization code by the customer using the customer's proximity authorization unit for activating one of the proximity service systems associated with the selected proximity service codes to provide the predetermined service; and receiving information, by the proximity service provider computer system, from the proximity service systems indicating usage of the proximity service systems, the information including proximity authorization codes identifying the customers using the proximity service systems, and proximity service codes identifying the proximity service systems, wherein at least some of the proximity service systems are owned by a first owner, and at least some of the proximity service systems are owned by a second owner, and wherein the method further comprises the steps of outputting a statement for the first owner indicative of usage of the proximity service systems owned by the first owner, and outputting a statement for the second owner indicative of usage of the proximity

service systems owned by the second owner.

2. (original) The method of claim 1, further comprising the steps of:

displaying to the customer a list of proximity authorization units by the proximity service provider computer system that are available to authorize the proximity service systems associated with the selected proximity service codes; and

receiving from the customer the customer's selection of at least one of the displayed proximity authorization units.

3. (original) The method of claim 1, further comprising the step of establishing the proximity service provider computer system as a web site on the Internet.

4. (canceled) The method of claim 1, further comprising the step of receiving information, by the proximity service provider computer system, from the proximity service systems indicating usage of the proximity service systems, the information including proximity authorization codes identifying the customers using the proximity service systems, and proximity service codes identifying the proximity service systems.

5. (currently amended) The method of claim 4 1, further comprising the steps

of collecting money from a third party based on the information received by the proximity service provider computer system indicating usage of the proximity service systems; and placing the money into a predetermined account of an owner of at least some of the proximity service systems.

6. (original) The method of claim 5, wherein the third party is a legacy card company.

7. (canceled) The method of claim 4, wherein at least some of the proximity service systems are owned by a first owner, and at least some of the proximity service systems are owned by a second owner, and wherein the method further comprises the steps of outputting a statement for the first owner indicative of usage of the proximity service systems owned by the first owner, and outputting a statement for the second owner indicative of usage of the proximity service systems owned by the second owner.

8. (currently amended) The method of claim 7 1, further comprising the step of outputting a statement for each customer identified by the proximity authorization codes received by the proximity service provider computer system indicating usage of the proximity service systems.

9. (original) The method of claim 8, wherein in the step of outputting the statement, the statement includes the location of the proximity service systems providing the predetermined services, the amounts paid, and the dates of the providing of the predetermined services.

10. (currently amended) The method of claim 4 1, further comprising the step of outputting a statement for each customer identified by the proximity authorization codes received by the proximity service provider computer system indicating usage of the proximity service systems.

11. (original) The method of claim 10, wherein in the step of outputting the statement, the statement includes the location of the proximity service systems providing the predetermined services, the amounts paid, and the dates of the providing of the predetermined services.

12. (currently amended) ~~The method of claim 1, further comprising the steps of~~

A method for managing a plurality of proximity service systems, comprising the steps of:

storing in a proximity service provider computer system a plurality of proximity service codes, each proximity service code being uniquely

associated with one or more proximity service systems, each proximity service system providing a predetermined service in response to receiving an authorization code from a proximity authorization unit;

providing access to the proximity service codes stored in the proximity service provider computer system to a customer;

receiving from the customer the customer's selection of one or more of the proximity service codes stored in the proximity service provider computer system by inputting a customer code uniquely identifying the particular customer and an identification of the selected proximity service codes;

providing to the customer by the proximity service provider computer system a proximity authorization code unique to the customer for the selected proximity service code and unique for the selected proximity authorization unit and a system customer code uniquely identifying the customer, the proximity authorization code permitting the customer to operate proximity service systems associated with the proximity service code by outputting the proximity authorization code by the customer using the customer's proximity authorization unit for activating one of the proximity service systems associated with the selected proximity service

codes to provide the predetermined service;  
providing access to the proximity service codes stored in the proximity  
service provider computer system to ~~an~~ a first operator; and  
receiving from ~~the~~ a first operator the first operator's selection of one or  
more of the proximity service codes stored in the proximity service  
provider computer system by inputting an identification of the  
selected proximity service codes;  
providing access to the proximity service codes stored in the proximity  
service provider computer system to a second operator;  
receiving from a second operator the second operator's selection of one  
or more of the proximity service codes stored in the proximity  
service provider computer system by inputting an identification of  
the selected proximity service codes;  
receiving information, by the proximity service provider computer  
system, from the proximity service systems indicating usage of the  
proximity service systems, the information including proximity  
authorization codes identifying the customers using the proximity  
service systems, and proximity service codes identifying the  
proximity service systems; and  
outputting a statement for the first operator indicative of usage of the  
proximity service systems operated by the first operator, and

outputting a statement for the second operator indicative of usage of the proximity service systems operated by the second operator.

13. (canceled) The method of claim 12, further comprising the step of receiving information, by the proximity service provider computer system, from the proximity service systems indicating usage of the proximity service systems, the information including proximity authorization codes identifying the customers using the proximity service systems, and proximity service codes identifying the proximity service systems.

14. (canceled) The method of claim 13, wherein at least some of the proximity service systems are registered to be operated by a first operator, and at least some of the proximity service systems are registered to be operated by a second operator, and wherein the method further comprises the steps of outputting a statement for the first operator indicative of usage of the proximity service systems operated by the first operator, and outputting a statement for the second operator indicative of usage of the proximity service systems operated by the second operator.

15. (original) The method of claim 1, wherein the proximity service systems are selected from a group of proximity service systems comprising access services,



vending machine services, vehicle services, meter services, audio and/or video communication services, and toll services.

16. (original) The method of claim 1, wherein an owner of the proximity service provider computer system guarantees payment to an owner of at least one of the proximity service systems when the proximity service system owned by the owner is operated by a proximity authorization code provided to the customer by the proximity service provider computer system.

17. (original) The method of claim 1, wherein in the step of storing in the proximity service provider computer system the plurality of proximity service codes, the proximity service provider computer system is defined further as a plurality of Web sites established on the Internet.

18. (original) The method of claim 17, wherein in the step of storing in the proximity service provider computer system the plurality of proximity service codes, each of the Web sites is directed to providing services for at least one type of proximity service system selected from the group comprising access services, vending machines services, vehicle services, meter services, audio and/or video communications services, and toll services.

19. (original) The method of claim 1, further comprising the steps of:

providing access to a plurality of individualized predetermined payment methods to the customer;

receiving from the customer the customer's selection of one or more of the individualized predetermined payment methods.

20. (currently amended) ~~The method of claim 1, wherein before the step of providing access to the proximity service codes, the method further comprises the steps of~~ A method for managing a plurality of proximity service systems, comprising the steps of:

storing in a proximity service provider computer system a plurality of proximity service codes, each proximity service code being uniquely associated with one or more proximity service systems, each proximity service system providing a predetermined service in response to receiving an authorization code from a proximity authorization unit;

providing access to a plurality of individualized predetermined payment methods to the customer;

receiving from the customer the customer's selection of one or more of the individualized predetermined payment methods;

~~and wherein the step of providing access to the proximity service codes~~

~~is defined further as providing access to selected proximity service codes stored in the proximity service provider computer system to the customer based on the customer's selection of individualized predetermined payment methods~~

providing access to the proximity service codes stored in the proximity service provider computer system to a customer based on the customer's selection of the individualized predetermined payment methods;

receiving from the customer the customer's selection of one or more of the proximity service codes stored in the proximity service provider computer system by inputting a customer code uniquely identifying the particular customer and an identification of the selected proximity service codes; and

providing to the customer by the proximity service provider computer system a proximity authorization code unique to the customer for the selected proximity service code and unique for the selected proximity authorization unit and a system customer code uniquely identifying the customer, the proximity authorization code permitting the customer to operate proximity service systems associated with the proximity service code by outputting the proximity authorization code by the customer using the customer's

proximity authorization unit for activating one of the proximity service systems associated with the selected proximity service codes to provide the predetermined service.

21. (original) The method of claim 1, further comprising the steps of:

providing access to a plurality of individualized predetermined payment methods to an owner of proximity service systems; and  
receiving from the owner of the owner's selection of one or more of the individualized predetermined payment methods.

22. (original) The method of claim 21, wherein at least one of the individualized predetermined payment methods are PSPS cyber card codes for permitting local authorization of transactions at the proximity service system.

23. (original) The method of claim 21, further comprising the step of outputting a cyber card code to be at least one of incorporated into and stored by selected proximity service systems associated with the owner.

24. (canceled) A method for authorizing a proximity service system to provide a predetermined service without obtaining remote authorization for each transaction, comprising the steps of:

storing, by the proximity service system, a service provider identification number and a cipher algorithm;

receiving, by the proximity service system, a customer access cyber card code;

processing, by the proximity service system, the customer access cyber card code with the cipher algorithm to produce a code;

comparing, by the proximity service system, the service provider identification number with the code; and

providing, by the proximity service system, the predetermined service if the service provider identification number corresponds with the code in a predetermined manner.

25. (original) A local authorization system comprising:

a plurality of proximity authorization units, each proximity authorization unit capable of storing and outputting a unique request authorization code;

a proximity service provider providing a unique request authorization code to each of the proximity authorization units and each of the proximity authorization units storing the request authorization code provided by the proximity service provider, the request authorization code including a proximity service provider code and

a customer code, the proximity service provider code uniquely identifying the proximity service provider providing the request authorization code to the proximity authorization unit and the customer code uniquely identifying a particular customer, the request authorization codes provided to the proximity authorization units being encrypted with a private key associated with the proximity service provider;

a plurality of proximity service units, each proximity service unit providing a predetermined service when activated in response to receiving and validating the request authorization code from one of the proximity authorization units, each proximity service unit receiving and storing a public key and the proximity service provider code from the proximity service provider, each proximity service unit validating each request authorization code received from one of the proximity authorization units by decrypting the request authorization codes with the public key and comparing the proximity service provider code received by the proximity service unit from the proximity service provider with the proximity service provider code decrypted from the request authorization codes received from the proximity authorization units, the proximity service unit providing the predetermined service upon matching

the proximity service provider code received by the proximity service unit with the proximity service provider code decrypted from the request authorization code received from the proximity authorization unit.

26. (currently amended) A proximity service provider system for managing a plurality of proximity service systems, the proximity service provider system comprising:

at least one PSPS Web site established on the Internet, the PSPS Web site comprising:

an owner database server receiving an owner's offering of proximity service systems, including a physical location for each proximity service system, a payment method for each proximity service system and a financial location for depositing money collected from usage of the proximity service systems, each of the proximity service systems being identified by a stored proximity service code, the payment method selected by the owner for each proximity service system serving as a predetermined payment method for the particular proximity service system;

a customer database server permitting a customer to select

proximity service systems identified by the stored proximity service codes in the owner database server, the customer database server receiving a customer's selection of proximity service systems offered by the owner of the proximity service systems, the customer's selection including a selection of a payment method from the predetermined payment methods for each proximity service system selected by the customer; and further wherein the PSPS Web Site is constructed by a method comprising the steps of:

providing a master operating software system designed by the steps of:

providing, first, a design matrix having at least two axes with the system application programs being represented on one of the axes, and user requirement elements for providing services to at least two of users of proximity services, owners of proximity services, operators of proximity services and financial services being represented by another one of the axes, the system application programs each defining a



particular technology, and each of the user  
requirement elements defining a particular  
user requirement;

locating one unique intersection point between  
each of the user requirement elements  
represented on one of the axes and the  
system application programs represented  
by another one of the axes in the design  
matrix; and

developing a technology converter requirement  
for each intersection point, each  
technology converter requirement using  
the system application program at each  
intersection point to develop an output  
satisfying the user requirement element at  
the corresponding intersection point.

27. (canceled) The proximity service provider system of claim 26, wherein the  
PSPS Web Site is constructed by a method comprising the steps of:  
providing a master operating software system designed by the steps of:  
providing, first, a design matrix having at least two axes with the system

application programs being represented on one of the axes, and user requirement elements for providing services to at least two of users of proximity services, owners of proximity services, operators of proximity services and financial services being represented by another one of the axes, the system application programs each defining a particular technology, and each of the user requirement elements defining a particular user requirement;

locating one unique intersection point between each of the user requirement elements represented on one of the axes and the system application programs represented by another one of the axes in the design matrix;  
and

developing a technology converter requirement for each intersection point, each technology converter requirement using the system application program at each intersection point to develop an output satisfying the user requirement element at the corresponding intersection point.

28. (original) The proximity service provider system of claim 26, wherein the owner database server receives information from the proximity service systems indicating usage of the proximity service systems, the information including proximity authorization codes identifying the customers using the proximity service systems, and proximity service codes identifying the proximity service

systems.

29. (original) The proximity service provider system of claim 28, further comprising the steps of collecting money from a third party based on the information received by the owner database server indicating usage of the proximity service systems; and placing the money into the financial location designated by the owner of at least some of the proximity service systems.

30. (original) The proximity service provider system of claim 29, wherein the third party is a legacy card company.

31. (currently amended) ~~The proximity service provider system of claim 28, A~~  
proximity service provider system for managing a plurality of proximity service  
systems, the proximity service provider system comprising:

at least one PSPS Web site established on the Internet, the PSPS Web  
site comprising:

an owner database server receiving a first owner's offering of  
proximity service systems, including a physical location for  
each proximity service system, a payment method for each  
proximity service system and a financial location for  
depositing money collected from usage of the proximity

service systems, each of the proximity service systems offered by the first owner being identified by a stored proximity service code, the payment method selected by the first owner for each proximity service system serving as a predetermined payment method for the particular proximity service system, and receiving a second owner's offering, the owner database server receiving a second owner's offering of proximity service systems, including a physical location for each proximity service system, a payment method for each proximity service system and a financial location for depositing money collected from usage of the proximity service systems, each of the proximity service systems offered by the second owner being identified by a stored proximity service code, the payment method selected by the second owner for each proximity service system serving as a predetermined payment method for the particular proximity service system;

a customer database server permitting a customer to select proximity service systems identified by the stored proximity service codes in the owner database server, the customer database server receiving a customer's selection of

proximity service systems offered by the owner of the proximity service systems, the customer's selection including a selection of a payment method from the predetermined payment methods for each proximity service system selected by the customer;

wherein the owner database server receives information from the proximity service systems indicating usage of the proximity service systems, the information including proximity authorization codes identifying the customers using the proximity service systems, and proximity service codes identifying the proximity service systems; and

wherein the owner database server outputs a statement for the first owner indicative of usage of the proximity service systems owned by the first owner, and outputs a statement for the second owner indicative of usage of the proximity service systems owned by the second owner.

32. (currently amended) The proximity service provider system of claim ~~28~~ 31, wherein the customer database server outputs a statement for each customer identified by the proximity authorization codes received by the owner database server indicating usage of the proximity service systems.

33. (currently amended) The proximity service provider system of claim ~~26~~ 31, further comprising an operator database server permitting an operator to select proximity service systems identified by the stored proximity service code in the owner database server.

34. (original) The proximity service provider system of claim 33, wherein the operator database server receives information from the proximity service systems indicating usage of the proximity service systems, the information including proximity authorization codes identifying the customers using the proximity service systems, and proximity service codes identifying the proximity service systems.

35. (canceled) The proximity service provider system of claim 34, wherein at least some of the proximity service systems are registered to be operated by a first operator, and at least some of the proximity service systems are registered to be operated by a second operator, and wherein the operator database server outputs a statement for the first operator indicative of usage of the proximity service systems operated by the first operator, and outputs a statement for the second operator indicative of usage of the proximity service systems operated by the second operator.

36. (currently amended) The proximity service provider system of claim 35 31, wherein the proximity service systems are selected from a group of proximity service systems comprising access services, vending machine services, vehicle services, meter services, audio and/or video communication services, and toll services.